



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/439,314	11/12/1999	GURTEJ S. SANDHU	95-0392.02	1503

7590 09/12/2003

CHARLES BRANTLEY  
MICRON TECHNOLOGY INC  
8000 S FEDERAL WAY  
MAIL STOP 525  
BOISE, ID 83716

EXAMINER
----------

HASSANZADEH, PARVIZ

ART UNIT	PAPER NUMBER
----------	--------------

1763

DATE MAILED: 09/12/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/439,314

Applicant(s)

SANDHU ET AL.

Examiner

Parviz Hassanzadeh

Art Unit

1763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 11 August 2003.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 41-69 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 41-69 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 November 1999 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

### Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

### Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 18.
- ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

**Claims 41-54 and 57-69 are rejected under 35 U.S.C. 103(a) as being unpatentable over Redeker et al (US Patent No. 6,170,428 B1) in view of Ameen et al (US Patent No. 5,834,371).**

Redeker et al teaches a plasma CVD apparatus (Fig. 1) comprising:

a vacuum chamber 13 provided with two separately powered RF coils, a top coil 31 and a side coil 32, to induce a plasma in the chamber (*a second chamber, wherein the second chamber is configured to initially generate second plasma therein*), the chamber is further provided with a gas inlet nozzles 38 and 64 for introducing deposition gases (such as hydrocarbons) and/or oxidized gases such as oxygen into the chamber (column 4, lines 13-40 and column 5, line 48 through column 6, line 4); and

Art Unit: 1763

a remote plasma source coupled to the process chamber via two side ports 127, 128 for introducing dissociated fluorine containing gases for cleaning deposits in the chamber (*a first chamber configured to generate a first plasma therein; wherein the second chamber is configured to receive the first plasma, wherein the first plasma is configured to restore said ability*) (abstract; column 2, line 59 through column 3, line 11, column 4, lines 1-12, and column 6, lines 43-54).

Redeker et al fails to teach the deposition gas including an electrically conductive material such that deposition of the material on the interior surface of the chamber wall would *inherently* prevent inductive coupling of the power to the plasma (*the chamber further configured to lose an ability to generate the second plasma*).

Ameen et al teaches an inductively coupled plasma processing (Fig. 1) for forming a metallic film on a substrate using process gas supply system 11 including  $\text{TiCl}_4$  (titanium tetrachloride gas) (column 5, line 45 through column 6, line 8; column 7, lines 60-65).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the process gas supply system as taught by Ameen et al in the apparatus of Redeker et al in order to form a Ti film on a substrate.

*Further regarding claim 42:* the process chamber would *inherently* lose the ability to generate plasma as deposition of Ti on the interior surface of the processing chamber would prevent inductive coupling of energy from and inductive coil 70 into the plasma within the chamber. The process chamber would *inherently* regain the ability to generate plasma as deposited Ti on the interior surface of the processing chamber is cleaned and removed by the remote plasma source.

*Further regarding claims 43, 44 (tube furnace):* the plasma processing chamber of Redeker is structurally equivalent to the claimed tube furnace because it includes a chamber configured to house a high density plasma. Similarly, the remote plasma source of Redeker et al may be a conventional microwave plasma tube which is a equivalent to the claimed tube furnace because conventional microwave plasma source includes an applicator tube such as sapphire tube or other energy transmissive tube therein a plasma is formed by a waveguide applicator.

*Further regarding claims 45, 46:* “a first structure defining a furnace ...” is interpreted as the processing chamber; “a first material that is opaque to the wave ...” is interpreted as a metallic material such as Ti; and “a delivery system in fluid communication ...” is interpreted as the remote cleaning plasma source.

*Further regarding claims 47, 48, 49:* Redeker et al further teaches that the cleaning gas may be  $\text{NF}_3$ ,  $\text{F}_2$ ,  $\text{SF}_6$ ,  $\text{ClF}_3$  (column 10, lines 27-31).

*Further regarding claims 50-53:* “an induction blocker” is interpreted as Ti deposited on the interior surface of the processing chamber; “a component coupled to the first reaction device and configured to ...” is interpreted as the remote cleaning plasma source; and “an induction blocker remover” is interpreted as cleaning plasma gas introduced by the remote plasma source into the processing chamber. The processing chamber of Amens et al includes a quartz liner defining a processing chamber 25 and an induction coil 70 for generating an inductively coupled plasma within the processing chamber.

*Further regarding claim 54:* “a conduit configured to couple to an inductively-coupled plasma chamber” is interpreted as ports 127, 128 in Redeker et al; “a cleaning chamber coupled

Art Unit: 1763

to the conduit ...) interpreted as the remote cleaning plasma source introducing a cleaning plasma gas into the processing chamber.

*Further regarding claims 57, 60:* “a reactor having a wafer fabrication mode ...” or “a furnace comprising a quartz tube ...” is interpreted the processing chamber; “a chamber configured to couple to the reactor during cleaning mode ...) or “a cleaning chamber ...” is interpreted as the remote cleaning plasma source introducing a cleaning plasma gas into the processing chamber.

*Further regarding claim 58, 61, 62:* removing the wafer from the processing chamber during cleaning is considered a process limitation and the apparatus of Redeker et al in view of Ameen et al is capable of being used under the condition as recited in the claim.

*Further regarding claim 59:* “the chamber is configured to transmit said metal etchant in a non-plasma form from to said reactor during said cleaning mode” is considered a process limitation and the apparatus of Redeker et al in view of Ameen et al *is capable of being operated* under the condition as recited in the claim by simply introducing the etchant through the remote cleaning plasma source without applying a plasma generating energy to the etchant.

*Further regarding claims 63-66:* “a conductive material present ...” is interpreted as Ti deposited on the interior surface of the processing chamber; “a first plasma chamber” is interpreted as the remote cleaning plasma source.

*Further regarding claims 67-69:* “a first material that is opaque to a type of energy to an RF wave” is interpreted as Ti deposited on the interior surface of the processing chamber; “a plasma delivery system ...” is interpreted as the remote cleaning plasma source which is used remove that Ti which is deposited on the interior surface of the processing chamber.

Art Unit: 1763

**Claims 55, 56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Redeker et al (US Patent No. 6,170,428 B1) in view of Ameen et al (US Patent No. 5,834,371) as applied to claims 41-54 and 57-69, and further in view of Kumagai (US Patent No. 5,916,455).**

Redeker et al in view of Ameen et al teach all limitations of the claims as discussed above except for the plasma generation device for the remote plasma source (cleaning chamber) being an inductively coupled plasma source rather than a microwave plasma source.

Kumagai teaches a plasma processing apparatus (Fig. 1) including a remote ignition plasma source 30 wherein an inductive coil 37 coupled to an RF power source 40 is used for generating a plasma (column 4, lines 8-29).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the inductive plasma device as taught by Kumagai in the apparatus of Redeker et al in view of Ameen et al as an art recognized equivalent for the same purpose of generating a plasma. It is the Examiner's position that substitution of the inductive plasma source with microwave plasma source would have been obvious to one of ordinary skills in the art at the time of the invention. See MPEP 2144.06, Art Recognized Equivalent for the Same Purpose, Substituting Equivalents Known for the Same Purpose (in re Fout, 675 F.2d 297, 213 USPQ 532 (CCPA 1982)).

**Claims 41-54 and 57-69 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ameen et al (US Patent No. 5,834,371) in view of Redeker et al (US Patent No. 6,170,428 B1).**

Art Unit: 1763

Ameen et al teaches an inductively coupled plasma processing (Fig. 1) comprising:

a reactor 15 including a sealed housing wall 26, quartz liner 70 defining a processing chamber 25, wherein a coil 70 coupled to an RF source 71 is provided between the housing 26 and quartz liner 70 for inductively coupling energy into the chamber 25 and form a plasma (*a second chamber, wherein the second chamber is configured to initially generate second plasma therein*), the chamber is further provided with a process gas supply system 11 including  $\text{TiCl}_4$  (titanium tetrachloride gas) for forming Ti on a wafer (*the chamber further configured to lose an ability to generate the second plasma*) (column 5, line 45 through column 6, line 8; column 7, lines 60-65).

Amen et al fails to teach a remote plasma source configured for providing an etching (cleaning) gas into the processing chamber for cleaning an interior surface of the process chamber (*a first chamber configured to generate a first plasma therein; wherein the second chamber is configured to receive the first plasma, wherein the first plasma is configured to restore said ability*).

Redeker et al teaches an inductively coupled plasma CVD chamber 13 (Fig. 1) including a remote plasma source such as a remote microwave plasma source for generating and introducing dissociated fluorine containing gases into a processing chamber 13 via inlet ports 127, 128 for cleaning deposits in the chamber 13 (abstract; column 2, line 59 through column 3, line 11, column 4, lines 1-12, and column 6, lines 43-54).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the remote plasma chamber cleaning system as taught by Redeker et al in the apparatus of Ameen et al in order to clean deposits in the chamber interior surface.



*Further regarding claim 42:* the process chamber would *inherently* lose the ability to generate plasma as deposition of Ti on the interior surface of the processing chamber would prevent inductive coupling of energy from and inductive coil 70 into the plasma within the chamber. The process chamber would *inherently* regain the ability to generate plasma as deposited Ti on the interior surface of the processing chamber is cleaned and removed by the remote plasma source.

*Further regarding claims 43, 44 (tube furnace):* the plasma processing chamber of Ameen is structurally equivalent to the claimed tube furnace because it includes a quartz liner (tube) configured to house a high density plasma. Similarly, the remote plasma source of Redeker et al may be a conventional microwave plasma tube which is a equivalent to the claimed tube furnace because conventional microwave plasma source includes an applicator tube such as sapphire tube or other energy transmissive tube therein a plasma is formed by a waveguide applicator.

*Further regarding claims 45, 46:* “a first structure defining a furnace ...” is interpreted as the processing chamber; “a first material that is opaque to the wave ...” is interpreted as a metallic material such as Ti; and “a delivery system in fluid communication ...” is interpreted as the remote cleaning plasma source.

*Further regarding claims 47, 48, 49:* Redeker et al further teaches that the cleaning gas may be  $\text{NF}_3$ ,  $\text{F}_2$ ,  $\text{SF}_6$ ,  $\text{ClF}_3$  (column 10, lines 27-31).

*Further regarding claims 50-53:* “an induction blocker” is interpreted as Ti deposited on the interior surface of the processing chamber; “a component coupled to the first reaction device and configured to ...” is interpreted as the remote cleaning plasma source; and “an induction

Art Unit: 1763

blocker remover” is interpreted as cleaning plasma gas introduced by the remote plasma source into the processing chamber. The processing chamber of Amens et al includes a quartz liner defining a processing chamber 25 and an induction coil 70 for generating an inductively coupled plasma within the processing chamber.

*Further regarding claim 54:* “a conduit configured to couple to an inductively-coupled plasma chamber” is interpreted as inlet ports 127, 128 of Redeker et al; “a cleaning chamber coupled to the conduit ...”) interpreted as the remote cleaning plasma source introducing a cleaning plasma gas into the processing chamber.

*Further regarding claims 57, 60:* “a reactor having a wafer fabrication mode ...” or “a furnace comprising a quartz tube ...” is interpreted the processing chamber; “a chamber configured to couple to the reactor during cleaning mode ...”) or “a cleaning chamber ...” is interpreted as the remote cleaning plasma source introducing a cleaning plasma gas into the processing chamber.

*Further regarding claim 58, 61, 62:* removing the wafer from the processing chamber during cleaning is considered a process limitation and the apparatus of Ameen et al in view of Redeker et al is capable of being used under the condition as recited in the claim.

*Further regarding claim 59:* “the chamber is configured to transmit said metal etchant in a non-plasma form from to said reactor during said cleaning mode” is considered a process limitation and the apparatus of Ameen et al in view of Redeker et al *is capable of being operated* under the condition as recited in the claim by simply introducing the etchant through the remote cleaning plasma source without applying a plasma generating energy to the etchant.

*Further regarding claims 63-66:* “a conductive material present ...” is interpreted as Ti deposited on the interior surface of the processing chamber; “a first plasma chamber” is interpreted as the remote cleaning plasma source.

*Further regarding claims 67-69:* “a first material that is opaque to a type of energy to an RF wave” is interpreted as Ti deposited on the interior surface of the processing chamber; “a plasma delivery system ...” is interpreted as the remote cleaning plasma source which is used remove that Ti which is deposited on the interior surface of the processing chamber.

**Claims 55, 56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ameen et al (US Patent No. 5,834,371) in view of Redeker et al (US Patent No. 6,170,428 B1) as applied to claims 41-54 and 57-69, and further in view of Kumagai (US Patent No. 5,916,455).**

Ameen et al in view of Redeker et al teach all limitations of the claims as discussed above except for the plasma generation device for the remote plasma source (cleaning chamber) being an inductively coupled plasma source rather than a microwave plasma source.

Kumagai teaches a plasma processing apparatus (Fig. 1) including a remote ignition plasma source 30 wherein an inductive coil 37 coupled to an RF power source 40 is used for generating a plasma (column 4, lines 8-29).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the inductive plasma device as taught by Kumagai in the apparatus of Ameen et al in view of Redeker et al as an art recognized equivalent for the same purpose of generating a plasma. It is the Examiner's position that substitution of the inductive plasma source with microwave plasma source would have been obvious to one of ordinary skills in the art at the time

Art Unit: 1763

of the invention. See MPEP 2144.06, Art Recognized Equivalent for the Same Purpose, Substituting Equivalents Known for the Same Purpose (in re Fout, 675 F.2d 297, 213 USPQ 532 (CCPA 1982)).

### *Response to Arguments*

Applicant's arguments with respect to claims 41-69 have been considered but are moot in view of the new ground(s) of rejection.

### *Conclusion*

Applicant's submission of an information disclosure statement under 37 CFR 1.97(c) with the fee set forth in 37 CFR 1.17(p) on 8/11/03 prompted the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 609(B)(2)(i). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Art Unit: 1763

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Parviz Hassanzadeh whose telephone number is (703)308-2050.

The examiner can normally be reached on Tuesday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Mills can be reached on (703)308-1633. The fax phone numbers for the organization where this application or proceeding is assigned are (703)872-9310 for regular communications and (703)872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

  
Parviz Hassanzadeh  
Primary Examiner  
Art Unit 1763

September 10, 2003